# HOW TO DESIGN A BOOKLET

### STAGES

- 1 Find a printer and a bookbinder.
- 2 Organise your files and prepare your images.
- 3 Setting up your document in Adobe InDesign.
- 4 Preparing your file for your chosen printer.

The open hand symbol indicates there is an appropriate handout available online or from the EPICentre office

## STAGE

Questions to ask your printer...



What paper sizes do you stock?

How much will ? pages double-sided cost to print?

Once I have provided the artwork, how long will it take to print?

What is the MAXIMUM IMAGEABLE area?

How much BLEED do you require ?

Do you need me to add any PRINTERS MARKS, including CROP MARKS ?

What file type do you want PDF or InDesign?

Do you want the document in SPREADS or single pages ?

Do you want the spreads IMPOSED?

It might help to mock up your booklet first - see pages 8-9



## Find a printer & bookbinder

Questions to ask your bookbinder...

What binding margins do you need?

Will it be bound in single sheets or signatures?


seed that

What type of cover can I have?

Do you want the pages untrimmed?


Once I have provided the pages and cover how long will it take to bind?

#### bopular of



#### Saddle stitch


Spreads folded in the middle and simply stapled. Simple and cheap.



Sewn in signatures


The document is broken down into smaller groups of pages called signatures. The signatures are sewn together and then all the signatures are glued to the cover.

### methods bookbinding



#### Perfect bound


Individual pages or signatures are glued into a cover. Cheap but not very robust.




Artwork is printed single sided in one long document that is then concertina folded and usually bound into a hard cover

### Workingout

#### Print paper size - maximum image




1 Start by talking to your printer about the paper sizes they stock and the difference in price etc. Don't forget that the paper needs to be big enough to print two pages side by side.




2 Next ask your printer what is the maximum imageable area. Most digital printers do not print right to the edge of the paper. You must subtract this margin from the dimensions of the paper stock.

#### your page size

area - bleed : 2 = page size




3 Most printers will require a bleed. Bleed is where an image or background extends beyond the edge of the page, usually 3mm. This excess is then trimmed off during post production or binding. Subtract this from the maximum imageable area.



4 Finally halve the width, or horizontal dimension, you are left with. This will give you the width and height of a page.

### Mockup



### your book


Use paper, scissors, stapler, ruler, pencil and scalpel to make a mock up of your finished booklet.

Roughly sketch out the content on the pages where you wish it to appear.

This exercise will help you understand the number of pages necessary to fit all your content into your booklet and how the pages pair up into design and print spreads.



## organising your images and files



## STAGE

#### Number of Pages

This number must always be divisible by the number of pages per signature and always divisible by 4 (i.e. 4, 8, 16, 20...)



Intent Print

#### Page Size

Type your page size directly into Width and Height Fields.


#### Margins

Normally bigger inside than outside to allow for binding.

#### Bleed

Usually at least 3mm (always ask your printer)

## Adobe InDesign document set up



Now design your booklet

13

# STAGE



Check with your printer, most like to have files provided in a PDF format. Making your document into a PDF also avoids various issues including licensing of fonts.



### can I amposed


Only impose your document if your printer requests it.

### preparing your file for printing

#### What is imposition?

Design your book as you would read it, in 'design spreads'. Page 1 is always a right hand page and shown on it's own.

Before printing, design spreads need to be re-arranged into 'print spreads'. This puts the pages into the correct order for binding.



The easiest way to impose a document you have designed in Adobe Indsign is to use the Print Booklet function and export it as a PDF at the same time.



## Glossary

BLEED: Most printers will require a bleed. Bleed is where an image or background extends beyond the edge of the page, usually 3mm. This excess is then trimmed off during post production or binding.

CROP MARKS: Marks on the printed page to incidate the size of the final, cut down page with the bleed trimmed off.

FONT: technical term for a type face.

IMPOSITION: The term given to the act of rearranging the pages of a book into the correct order for printing and binding.

MAXIMUM IMAGEABLE AREA: Most digital printers do not print right to the edge of the paper.

PDF: Portable Document Format is a file type that is peferred by many printers because it combines all the separate elements of your book design into a single efficient file. PDF files are not editable, so make sure you retain a copy of your book in an InDesign format with all the associated files.

PRINTERS MARKS: The collective term for crop marks (see above), registration marks, colour bars etc.

SPREADS: The term given to a pair of facing pages. Design spreads are facing pages as you will see them in the finished book. Printer spreads are the pairs of pages that must be printed together so that all the pages are in the right order when bound into a book.

The following handouts may help you and are available from the EPICentre Office or online at.....



Page 11: InDesign: Placing Images



Page 13: InDesign: Setting Up a New Document



Page 15 & 16: InDesign: PrintBooklet PDF

